GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 5031-45, *dated* 30*th August* 1938.

To

The Firms dealing in Motor Buses.

Enquiry No. 2997.

BUSES FOR THE POLICE DEPARTMENT.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Bangalore, and the earliest time of delivery for the materials described below :—

Two Chassis of 122½" *wheel base with* 5 *H. D. air wheels* 17×7·00 *with police body of specification noted below :—*

Building and mounting on a Chassis of 122½" wheelbase a Police body as per following specification :—

General Design.—The body should be of the turn-under pattern with domed roof, rounded corners and the panels being carried down to below the level of the Chassis frame.

General Construction.—The structure should be of light angle-iron framing suitably stayed and electrically welded together. Seasoned timber should be then let into the angles to give the required shape and to allow for the fixing of the panels. The shell should be panelled on the outside with mild steel sheets. The front and side doors, corners and roof bends should be of 22-gauge while the side and rear panels of the main body should be of 18-gauge. Side and back openings shall be protected with fixed expanded metal of a heavy gauge.

Flooring.—Flooring is to be of ¾" finished planking T & G., and screwed to the cross-members.

Roof.—Boards of ¼" thickness T & G shall be laid longitudinally and screwed to the roofbends.

Front and side doors.—Full doors should be fitted on either side of the driving position and on the nearside front. These should be hung on stout brass hinges and fitted with suitable locks, handles, guides and buffers. Protection expanded metal screens framed in wood of the lift up type should be provided.

Windscreen.—This should be of one-piece plate glass being framed in a metal channel and hinged at the top to open outwards from the bottom.

Interior.—The whole of the interior should be fitted with polished plywood.

Electrical Fittings.—Two electric domed lights shall be fitted and operated by one switch from the driving position.

Seating capacity should be 13 *plus* 2.

Driving seat.—A comfortable full width driving seat with spring cushion and full padded squab should be fitted up.

Interior seating.—Longitudinal seats shall be fitted on either side of the body, the near side seat being cut away at the door entrance and a single seat between the two longitudinal seats fitted at the back. Loose cushions and fixed back squabs should be provided for the seats.

Protection Screens.—Detachable expanded metal screens should be provided for the radiator, head-lamps and windscreen.

Weather curtains.—Detachable roll up weather curtains of good quality canvas should be provided.

N.B.—The buses are needed for the Police Department for treading the narrower streets of Cities and for use on the District and cross country roads.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages.

Dimensioned sketches of the chassis with body should accompany your quotation.

The quotations should be superscribed "Quotations for Buses for the Police Department" with the above enquiry number.

This enquiry will be closed on the 15th September 1938.

No. S. P. C. 5090-100, *dated* 30*th August* 1938.

To

The Firms dealing in R. S. Beams.

Enquiry No. 3000.

MATERIALS REQUIRED FOR STRENGTHENING THE CAST IRON GATES OF PLUS 103' AND PLUS 106' SLUICES OF KRISHNARAJ SAGAR.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for materials required for strengthening the Cast Iron Gates of plus 103' and plus 106' sluices" with the above enquiry number.

This enquiry will be closed on the 19th September 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	M. S. Plates 8′×4′×$\frac{3}{8}$″	20	Belagula.	
2	Do 8′×5′×$\frac{3}{8}$″	11		
3	Do 10′×4′×$\frac{3}{8}$″	18		
4	R. S. Girders 10′×6″×5″	36		
5	Do 8′×6″×5″	50		
6	M. S. Angles 5″×5″×$\frac{1}{2}$″ 18 feet long	29		
7	M. S. Flats 5″×$\frac{1}{2}$″—20 feet long	28		
8	M. S. Rivets snap head 4″×$\frac{5}{8}$″	19 cwt.		
9	Do do 3″×$\frac{3}{4}$″	10 cwt.		

N.B.—(1) The name of makers of the materials offered should be specified.

(2) Whether the materials offered are of tested or untested quantity should be also stated.

No. S. P. C. 5213-22, dated 1st—3rd September 1938.

To

The Firms dealing in Apparatus and Chemicals.

Enquiry No. 3001.

APPARATUS AND CHEMICALS REQUIRED FOR THE CHEMICAL SECTION OF THE AGRICULTURAL DEPARTMENT.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages.

The quotations should be superscribed "Quotations for Apparatus and Chemicals required for the Chemical Section of the Agricultural Department" with the above enquiry number.

This enquiry will be closed on the 22nd September 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	GROUP A. *E. Merck—Darmstadt—Germany.* 1938.			
1.	Sulphuric Acid—Sp. Gr. 1·84 G. R. Catalogue No. 731—5 Kgs.	50 Kgs.	Bangalore.	
2.	Nitric Acid—Sp. Gr. 1·40 G. R. Catalogue No. 454—2½ Kgs.	50 Kgs.		

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
3	Sodium Hydroxide—G. R. Catalogue No. 6490—5 Kgs.	25 Kgs.	Bangalore.	
4	Zinc dust—G. R. Catalogue No. 8789	2½ Kgs.		
5	Merck's Universal Indicator—Catalogue No. 9175—100 c.c.	200 c.c.		
6	Potassium Permanganate—G. R. Catalogue No. 5082—1 Kg.	1 Kg.		
7	Methyl Iodide (Extra pure)—Catalogue No. 26064—100 gms.	100 gms.		
8	Di.—methyl Sulphate (Extra pure)—Catalogue No. 3071—250 gms.	250 gms.		
9	Magnesium Ribbon—(Reel) Catalogue No. 5812—50 gms. (Reel)	50 gms.		
10	Sodium Thio-sulphate (Extra pure) Catalogue No. 6510—14 lbs.	14 lbs.		
	GROUP B. *Catalogue—Grenier and Friedrichs: G. M. B. H. Stutzerbach in Thuringen—Germany.*			
	Soxhlets—Catalogue No. 4550—Capacity 70 cc.	2		
	Condensers—Catalogue No. 4574—Kugelzall 8	2		
	Flasks (Flat bottomed) Catalogue No. 4511—100 c.c.	2		
	GROUP C. *Catalogue—Baird & Tatlock, Ltd., London; Balmer—Lawrie & Co., Clive Street, Calcutta.*			
1	Calcium chloride tubes with ground stopper 4" long as per Catalogue No. Sc. 3905	4		
2	Do do 5" long do	4		
3	Sets of weights 0·5 gm. to 0.001 gm. Catalogue No. Sc. 518 (sets of 10 weights)	2 sets		
4	Steel Rule 1 ft. long Folding P. C. 52	2		
	GROUP D. *Carl—Scheicher and Schull: Filter paper manufacturers—Duren: Germany.*			
5	No. 597 Qualitative Filter paper diameter 11 cms.	1,000		
	Do do do 9 cms.	2,000		
6	No. 597 Filter paper sheets	2,000		
	GROUP E. *E. Merck.*			
1	Lead Acetate—Catalogue No. 7372—7 lbs.	7 lbs.		
2	Sodium Hydroxide—G. R. No. 6490—5 Kgs.	10 Kgs.		
3	Sodium Potassium Tartrate—No. 8085—7 lbs.	14 lbs.		
	GROUP F.			
4	*Carl—Scheicher and Schull—Filter paper Manufacturers: Duren—Germany.*			
	No. 597—Filter paper sheets	1,000 (One thousand sheets).		

No. S. P. C. 5353-60, dated 3rd September 1938.

To

The Firms dealing in Steel Boxes.

Enquiry No. 3004.

STEEL BOXES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Steel Boxes" with the above enquiry number.

This enquiry will be closed on the 12th September 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted	Time of delivery
	Boxes made of steel plate, size 20"×30"×14" coloured black outside and blue inside with six lever pad locks. 24. G. Tata's steel plates should be used.	10	Free delivery in office at Bangalore.	

No. S. P. C. 5469, dated 5th September 1938.

To

The Firms dealing in Machinery.

Enquiry No. 2989.

WORKSHOP LATHE.

GENTLEMEN,

In continuation of this Office Circular No. S.P.C. 4727-56, dated 26th August 1938, forwarding a copy of the above enquiry, I write to request you to quote your best prices for the following along with the extra equipment for the bench lathe included in the enquiry.

One *Taper turning attachment.*

Yours faithfully,
H. NIRANJAN RAJ URS,
Secretary,
Stores Purchase Committee
(in charge).

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday the 9th July 1938.

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of order
Local. 4460	Sluice valves 15" C.I. double flanged, tested to 700 Ft.	Two	Messrs.— Glenfield & Kennedy, Ltd., Bombay.	Rs. a. p. 485 0 0 each, f.o.r., Belagola.
2769	C.I. Tee with all socket ends tested to 600 Ft. head.	Two	Mysore Iron & Steel Works, Bhadravati.	134 5 0 Do do
4461	Stator complete with end-shields and windings for 1,000 B.H.P. motors.	One	Mather & Platt, Ltd., Bombay	10,320 0 0 f.o.r., Madras.
2851	Stator Coils complete with necessary insulation, such as tape, slots wedges, etc.	80		4,370 0 0 lot do
4462	*Diesel Oil Lorry* mercedes Benz 5 ton, 4 cylinders, 160" wheel base, for carrying girders, stones, etc.	One	Heller & Co., Madras	7,200 0 0 f.o.r., Chitaldrug.
2866	*Trailer* with single wheels and 32×6 tyres.	One		700 0 0 Do do
4156	*Lorry* petrol driven, Chevrolet, 157" wheel base duel rear chassis fitted with 6, 30×5 H.D. tyres and tubes.	One	Automobiles, Ltd., Bangalore	3,107 0 0 f.o.r., Bangalore.
Extn. 4463	Spare parts for Tylors rotary water meters.	Lot	Hajee Abdul Shukoor & Sons, Bangalore.	269 12 0 lot, free delivery in Bangalore.
2783 4375	Water meters 'Tylors' minor rotary type complete with unions for ½" W.I. pipe.	29	John Fleming & Co., Bombay	22 0 0 each, f.o.r., Bangalore.
Extn. Foreign. 2544	Transformers 150 K.V.A. 3 phase oil-immersed, self-cooled supplied with the necessary quantity of class A special oil for first filling, plus 10 per cent spare.	Three	Johnson & Phillips, Ltd., Bombay.	8,855 0 0 each, c.i.f., Madras.
2772				